

## NUHRI Integration Strategy Summary

Service Area	Integration Strategy
<b>Delivery</b>	<ul style="list-style-type: none"> <li>• IEC</li> <li>• One-on-one counseling</li> <li>• Couple counseling</li> <li>• Immediate postpartum IUD</li> <li>• Referral</li> </ul>
<b>ANC</b>	<ul style="list-style-type: none"> <li>• Group counseling</li> <li>• One-on-one counseling at 36 weeks</li> <li>• FP method selection at 36 weeks</li> <li>• Link to immediate postpartum IUD (immediately following placental expulsion and up to 2 hours)</li> </ul>
<b>Immunization</b>	<ul style="list-style-type: none"> <li>• IEC material</li> <li>• Group counseling</li> <li>• Referral to nearest FP clinic</li> </ul>
<b>Post-Abortion Care</b>	<ul style="list-style-type: none"> <li>• IEC</li> <li>• FP counseling</li> <li>• FP service provision</li> <li>• Referral to FP Clinic for unavailable methods</li> </ul>
<b>GOPD</b>	<ul style="list-style-type: none"> <li>• Group counseling</li> <li>• IEC</li> <li>• Referrals</li> </ul>
<b>PMTCT</b>	<ul style="list-style-type: none"> <li>• IEC using existing PMTCT FP</li> <li>• IEC Materials</li> <li>• One-on-one counseling</li> <li>• Referral to FP clinic</li> </ul>
<b>HCT</b>	<ul style="list-style-type: none"> <li>• IEC material</li> <li>• One-on-one counseling</li> <li>• Referral to FP clinic</li> </ul>
<b>ART</b>	<ul style="list-style-type: none"> <li>• IEC material</li> <li>• Group counseling</li> <li>• Referral to FP clinic</li> </ul>